

RE: Northern Rail Extension Project PA: Attachment B for your review  
Duvall, Shina A (DNR)

to:

Catherine.Glidden

09/14/2011 06:10 PM

EI-18674

Cc:

CG

"Bittner, Judith E (DNR)", "Gasek, Douglas F (DNR)", Tracie.Krauthoefer

Hide Details

From: "Duvall, Shina A (DNR)" <shina.duvall@alaska.gov>

To: Catherine.Glidden@stb.dot.gov

Cc: "Bittner, Judith E (DNR)" <judy.bittner@alaska.gov>, "Gasek, Douglas F (DNR)"  
<doug.gasek@alaska.gov>, Tracie.Krauthoefer@hdrinc.com

History: This message has been replied to.

Hi Cathy,

Thank you. I have reviewed the revised ACCP and agree that all of our comments were addressed. Tracie and I did have a phone conversation about many of the comments we submitted and she did an excellent job of addressing our comments and clarifying intent in several areas. I have reviewed this most recent version and do not have any additional comments.

If during implementation, we find that something within the ACCP is not clear, we can certainly address changes at that time, if necessary.

Thank you for the opportunity to comment. Please contact me if I may be of further assistance.

Best regards,

Shina

Shina duVall, RPA

Archaeologist, Review and Compliance Coordinator

Alaska State Historic Preservation Office / Office of History and Archaeology

550 W. 7th Ave., Suite 1310

907-269-8720 (phone) 907-269-8908 (fax)

[shina.duvall@alaska.gov](mailto:shina.duvall@alaska.gov)

---

**From:** Catherine.Glidden@stb.dot.gov [<mailto:Catherine.Glidden@stb.dot.gov>]  
**Sent:** Thursday, September 08, 2011 3:08 AM  
**To:** Duvall, Shina A (DNR)  
**Cc:** Bittner, Judith E (DNR)  
**Subject:** Fw: Northern Rail Extension Project PA: Attachment B for your review

Hi Shina,

We have incorporated most of the changes you suggested in a revised version (attached), as seen in comparison with the marked up copy (also attached). Incorporated changes (not shown as red-line) include grammatical and typographical fixes, as well as more substantive changes regarding clarification of which parties have responsibilities for certain reviews, and how best to simplify the review and commenting process for reporting. These changes suggested by you were acceptable to the applicant (ARRC) and did not require further discussion. A pdf of the proposed final version, with figures, is also attached.

I was happy to hear that the attached ACCP reflects discussions between you and ARRC's consultant (Tracie Krauthoefer, HDR). We incorporated most of your comments, as evidenced by both versions, and that if there are no additional comments, the ACCP will be considered final. In order to complete finalization of the document, please send any final comments no later than September 15th.

Additionally, though not stipulated in the PA, we recommend copies of the finalized ACCP be sent to all Signatories, Invited Signatories, and Consulting Parties (contact info for each of these entities is listed at the end of the ACCP), to replace the draft ACCP currently attached to their PA copies. I would be happy to send out final versions to these parties once the document is finalized.

Please let me know if you have any questions or need further information. You can reach me at the number below or on my cell at 240-446-5086.

Thank you,  
Cathy

Catherine Glidden  
Environmental Protection Specialist  
Office of Environmental Analysis  
Surface Transportation Board  
Washington, DC 20423  
(202) 245-0293